

Natural Habitats Soil • Plant debris • Indoor air environment

Suitable Substrates in the Indoor Environment: • Grows on a wide range of substrates indoors • Prevalent in water damaged buildings

Water Activity Aw=0.75-0.82.

Mode of Dissemination Wind

Allergenic Potential Allergic bronchopulmonary aspergillosis (ABPA) which is common in asthmatic and cystic fibrosis patients • Aspergillus sinusitis • Invasive aspergillosis in immunocompromised patients

Potential Opportunist or Pathogen Aspergilloma and chronic pulmonary aspergillosis in people with lung disease

Industrial Uses A. oryzae is used in soy sauce production • A. terreus produces mevinolin which is able to reduce blood cholesterol • A. niger produces enzymes used to make some breads and beers and is also used in plastic decomposition. • A. niger and A. ochraceus are used in cortisone production.

Potential Toxins Produced Secalonic acid D • Aflatoxin B • Aflatoxin G • Aflatoxin M1

- Aflatrem (alkaloid)
 Aflatrem (indole alkaloid)
 Aspertoxin
 Brevianamide A
- Citreoviridin, Citrinin Cyclopiazonic acid Fumagillin Fumigaclavine
- Fumitremorgin A Gliotoxin Helvolic acid 3-Nitropropionic acid Ochratoxin A
- Ochratoxin B Ochratoxin C Penicillic acid Phthioic acid Patulin Sphingofungins
- Steriamatocystin Terrein Terreic acid Terretonin Territrem A Versicolorin A
- Verruculogen
 Viomellein

Other Comments *It is the second most common opportunistic pathogen following Candida.*





EMSL ANALYTICAL, INC. www.emsl.com